
www.PosGulf.com mkt@PosGulf.com

Instant Visibility into your Business









ABOUT COMPANY



PosGulf.com is Middle East leading provider of barcode, mobile computing, and RFID solutions. Since 2009 we have worked hard to earn a reputation for being dedicated, reliable, and customer-oriented. Additionally, we are product experts with deep experience in the field of mobility, inventory and point-of-sale solutions.



PEGASUS BESTPOS B8110 ALLUMINIUM POS



Features:

Solid aluminium casing, high quality components and a true flat splash-proof screen, all at a competitive price. It's the professional quality touch epos system with beautifully integrated extras that does it all - in style.

MSR and Dallas Reader 10.1" Customer Display

LCD/VFD Customer Display

Slim, Strong, Elegant Design





POINT OF SALE SYSTEMS



Pegasus BestPOS-7110 CPU: J1900/i3/i5. Memory: 4GB/8GB Hdd: 500GB/128SSD SATA/SSD Display: 15" Capacitive Touch



Pegasus EverPOS CPU: J1900/i3/i5. Memory: 4GB/8GB Hdd: 500GB/128SSD SATA/SSD Display: 15" Capacitive Touch



Pegasus RPOS6000 CPU: J1900/i3/i5.Memory: 4GB/8GB Hdd: 500GB/128SSD SATA/SSD Display:15" Capacitive Touch



Pegasus ZPOS Series CPU: J1900/i3/i5,Memory: 4GB/8GB Hdd: 500GB/128SSD SATA/SSD Display: 15" Capacitive Touch



POS HARDWARES



Pegasus KB-67/KB-78/KB-112 **Programmable Keyboard** With 66/78/112 Cherry MX keys based on Gold crosspoint technology and have tactile feeling. Different relegendable



Pegasus H-701 & VFD **Customer Display** Large Display 20x2 line support Built-in 7 inches TFT panel Resolution: 480x243x3 (RGB) able to accept



Pegasus Cash Drawer Heavy duty metal drawer with key lock Spring loaded bill chip & detachable coin



Pegasus Bluetooth Cash Drawer Heavy duty metal drawer with key lock Spring loaded bill chip & detachable coin tray. Tray:4/6Bill, 8 Coin, Slip slot:1 Meterial: Steel Body, Tray: ABS plastic



Pegasus

ENCORDERS & CARD READER



Pegasus MCE-2011 3 Tracks Mini Pegasus MCR-1011 Mini Magnetic Reader/Writer/Encorder Magnetic Card Reader 3 Tracks Interface: RS232/USB

Swipe speed: 10-150 cm/seconds (Read) Recording density: 210 BPI, 75 BPI, 210 BPI 10-100 cm/seconds (Write)



Interface: RS232/PS2/USB

Operation speed: 14-140 cm/seconds (6-50 inch/seconds) Card standard: ISO 7811/2



Pegasus DU101 UHF RFID **Desktop Reader**

Neat and tiny casing Support ISO18000-6C protocol RS232/RJ45 multiple interface communication port Electronics Tickets, Card sending



Pegasus PCR-3900 Series Smart Card Reader Host Interface: USB 2.0 full

Smart Card Connector: 100,000 insertion cycles EMV Level 1 mechanically compliant Smart Card Interface: Reads from and writes



WIRELESS BARCODE SCANNERS





Pegasus PSW-1100 Image Sensor: CMOS. RS-232.USB.PS/2

Working range: Up to 200 meters Light Source: LED (625nm ± 10nm)



Pegasus PS-1000WiFi

Optical Sensor 2500 pixels Light Source Red LED (660nm) Scan rate 270 Scans/Second



Pegasus PS32D1 Rugged Bluetooth Wireless 1D/2D QR Range up to 100 feet straight Read from Mobile Screen



Pegasus PS1246 1D Wireless 1D Laser Scanner Rugged & Shock Proof Design Wireless range about 30-60 feet



WIRED BARCODE SCANNERS



Pegasus PS111B BT 2D Ring Low Profile. Free Hands Ring Scanner Lightweight device rests on the finger Bluetooth Wireless: up to 30 feet (10m)

Pegasus PSi500 Rugged Laser: 650nm Laser Diode Decode capability: all major 1D barcode Scan rate: 100 scans/second



Pegasus PS1133 1D Laser Laser: 645-660nm laser diode Decode capability: All major 1D Barcode Scan repetition rate:200 scans/second



Pegasus PS3113 2D Imager Read from Mobile & Laptops Ergonomic, snappy and stylish design Decode capability: Read all major 1D & 2D



RUGGED BARCODE SCANNERS



Handheld Barcode Scanner

scanner type : bi-directional Light source : 650nm visiblelaser diode scan element : 100 scans/sec typical



Zebra DS3608DR Ultra **Rugged Cordless Scanner**

Drop Specification: Withstands multiple 8.0 ft. /2.4 m drops to concrete
Tumble Specification: 5000 tumbles



Zebra LI4278 1D Barcode Scanner

Motion Tolerance 25 in./ 63.5 cm per sec Light Source LED Class 1 device 617nm (amber) Min. Print Contrast 15% MRD



Zebra LS3578-ER Rugged **Cordless Bluetooth Scanner**

Light Source: 650 nm visible laser diode Scan Repetition: 36 scans per sec typical Radio Range: Up to 300 ft. (100m)

ઑ.ZEBRA

HEALTHCARE BARCODE SCANNERS



Zebra DS4308-HC **Healthcare Scanner**

Light Source: Aiming pattern: 617 nm LED Illumination: 660 nm LEDs Imager Field of View: 36° (H) x 22.5° (V)



Zebra CS4070-HC Pocket **Sized Wireless Scanner**

Memory: 512 MB Flash Decode Capability: 1D and 2D symbologies Bluetooth Range: 300 feet/100 meter





Zebra DS8100-HC Series **Healthcare Scanner**

Light Source: Aimming Pattern: true green (528nm) Circular, Bluetooth: Standard ver 4.0 Laser diode Illumination: 625 +/- 5 nm LED Radio Frequency Devices: 47 CFR Part 15



Zebra DS6878-HC **Healthcare Scanner**

Imager Field of View: 39.2° horizontal, 25.4°

ENJOY FREEDOM OF WIRELESS BARCODE SCANNING

Pegasus PS2230

1D Digital Wireless Scanner



Features:

- **Dual Scanning Mode Wireless**
- Storage About 10000 Records
- Transmission Range 100 meters
- Dual instant storage mode





MAXIMUM DATA CAPTURE WITH ACCURACY



Features:

- Stylish and ergonomic design, small base saves installation space
- Read all common 1D/2D barcodes from paper labels and electronic screens
- Working range reaches up to 100 meters
- Support point-to-point and multi-point data transmission



Honeywell HANDHELD BARCODE SCANNERS



Honeywell Voyager MS9520

Scan Pattern: Single scan line Scan Speed: 72 scan lines per second Decode Capability: Reads standard 1D GS1



Honeywell Voyager 1202G

Bluethooth / Wireless Bar code reader Decoding Capability 1D bar codes Minimum Bar width: 10meter



Honeywell Xenon 1900

Scan Pattern: Area Image (838x640 pixel) Decode Capability: Reads standard 1D, PDF, 2D, Postal and OCR symbologies



Honeywell Xenon 1902G

Bluetooth: 1902/1902C Radio/Range: 2.4 Decode Capabilities: Reads standard 1D, PDF, 2D, Postal and OCR Symbologies

ODATALOGIC HANDHELD & PRESENTATION BARCODE SCANNERS



QuickScan Lite QW2400

Imager Sensor Field of View: 48 x 37° (H x V) Wide VGA: 640 x 480 pixels Light Source Aiming: 1 Blue LED





Datalogic GM4100
Light Source Illumination: LED Array
630 - 670 nm, Print Contrast Ratio (Min.)15%
Read Rate (Max.): 325 reads/second

Datalogic QuickScan QM2400
Cordless System with up to 25.0 m / 82.0 Ft.
Light Source Aiming: 2 Blue LED's;
Illumination: Red LED 610 - 650 nm



Datalogic Magellan 3200VSi

625nm LEDs

Read Rate (Max) 39 Million pixels per second

Honeywell OMNI DIRECTIONAL BARCODE SCANNERS **ZEBRA



Honeywell Orbit 7190G

Scan Pattern: Hybrid, Omnidirectional Laser (5 fields of 4 parallel lines) and Area Imager (640x480 pixel array)



Honeywell Orbit 7120

Scan Pattern: 5 fields of 4 parallel lines Decode Capability: Auto discriminates all standard bar codes; for other symbologies



Honeywell Solaris 7980g

Scan Pattern: Area image (1280x960 array) Motion Tolere.: 13mil at optimal focal point Scan Angle: Horizontal: 42°; Vertical: 34°



Zebra DS7708 Imager

Light Source: Two deep red LEDs (660nm) Swipe Speed: Up to 100 in./sec (254 cm/s) Decoding ability:1D, 2D and PDF417



DATA COLLECTORS



Pegasus DC7010

CPU: 32 bit CPU, with 512K Program Memory: 2M Byte SRAM Display: 128x128 graphic dots FSTN



Pegasus iDC-3500 Bluetooth: HID; SPP master; SPP slave Working range: 10 meters Scan rate: 100±10 times /second





Pegasus DC8050

Light source: Visible red light, 632nm Sensor Linear: CCD Sensor FLASH Storage:16MB (50,000 Codes)

Pegasus AC5713



Pegasus PS1218, PS2218, PS3218 Pocket BT

POWER YOUR BUSINESS WITH

RFID AND ANDROID

Optional: (1D CCD, 2D)
Dual Scanning Mode: Instant & Storage

THE NEXT EXPANSION IN RAPID DATA CAPTURING

Pegasus DC8050 Data Collector



Overview:

Pegasus DC8050 is a RF-PDA which combine's wireless scanner and common wireless collector functions, users can use it without any programs. RF-PDA with keyboard and screen can type the codes when it can't be decoded. It shows wireless channel, wireless strength and battery levels. it supports WINDOWS system with the USB interface cable simulation keyboard.






Pegasus



Features:

Stylish and ergonomic design, small base saves installation space



Working range reaches up to 100 meters













mkt@PosGulf.com



HANDHELD MOBILE COMPUTERS





Pegasus AC9121 Handheld

Mobile Terminal CPU: Quad Core,OS: Android 4.3/5.1, 3.5' 480*640,Storage:1GB RAM+4G ROM



Pegasus PPT8532 Mobile Intelligent Terminal
CPU: Quad Core, OS: Android 4.4/ 5.1,
4.0' 480*800,Storage:1GB RAM+8G ROM



Pegasus ACT5712 Android **RFID Handheld Terminal**

CPU: Quad Core, OS: Android 5.1 Storage: 2GB RAM+16GB ROM, Camera: 8.0



Pegasus AC5713 Android 4G

Terminal CPU: Quad Core,OS: Android 5.1.1 Storage: 2GB RAM+16GB ROM,5" TFT LCD



HANDHELD MOBILE COMPUTERS



Zebra MC3300

CPU: Qualcomm 8056 1.8 GHz hexa-core OS: Android 7.0 (Nougat) Memory: 2GB/16GB Standard



Zebra TC25 Series Rugged CPU:QCOM MSM8937® 64-bit-8-core OS: Android 7.X (Nougat) Memory: 2GB/16GB Flash Memory



Zebra TC8000 Rugged

CPU: Dual core 1.7 GHz processor OS: Android AOSP 5.1.x (Lollipop) Memory: 1GB RAM/4 GB Flash PSLC



Zebra MC9200 Rugged CPU: Dual Core 1 Ghz OMAP4 Processor OS: Android 4.4.4 Memory: 512MB RAM/2GB Flash

ODATALOGIC. HANDHELD COMPUTERS



Datalogic Scorpio X4

Microprocessor: TI OMAP4 @ 1 GHz OS: Microsoft Windows Embedded Memory RAM: 1 GB, Flash: 8 GB



Datalogic Memor X3 Microprocessor: XScale™ PXA310 OS: Microsoft Windows CE 6.0 Memory RAM: 256 MB, Pro models;128



Datalogic Joya Touch A6 Microprocessor: XScale™ PXA310 @ 806 MHz; 32 bit

Memory RAM: 512MB, Flash: 512MB



Datalogic Falcon X3

Microprocessor: XScale™ PXA310 OS: Microsoft Windows CF 6.0 Memory: System RAM:256 MB

Honeywell

HANDHELD MOBILE COMPUTERS



Honeywell CK3R

CPU: Multi-Engine Texas Instruments OS: Microsoft Windows Embedded Handheld Memory: 256 MB RAM, ROM: 512 MB







Honeywell Scanpal EDA50

CPU: Qualcomm Snapdragon 410 OS: Android 7.1.1 Google Mobile Service Memory: 2 GB RAM, 8 GB Flash





Honeywell Dolphin 99GX

CPU: Texas Instruments® OMAP3715 OS: Microsoft® Windows® Embedded Memory: 512 MB RAM x 1 GB Flash









Honeywell Dolphin 6510

CPU: Texas Instruments OMAP3715 OS: Microsoft Windows CE 6.0 Memory: 512 MB RAM; 1024 MB Flash

TRACK YOUR STAFF, VEHICLES



Features:

- User Customize modules, Easy Setup By Cloud
- Ware house modules: Goods Receiving, Transfers,
- Stock Checking, Price Checking, & Delivery modules Pegasus

Features:



Unlimited Contacts

Pegasus GeoWork

System

- Live Tracking
- Manage Outdoor







- Automated Email and SMS
- Online Messaging
- Track Order



ℋъZEBRA **DESKTOP LABEL PRINTERS**



Zebra ZD410 Printer

Print Method: Direct Thermal print method Resolution: 203 dpi/8 dots per mm, 2.2" Memory: 512 MB Flash; 256 MB SDRAM



Zebra GC420D/T Printer

Print Method: Direct thermal and thermal transfer printer, Speed: 4"/102 mm per sec. Resolution: 203 dpi/8 dots per mm







Zebra ZD420 Printer

Print Method: Direct Thermal print method Resolution: 203 dpi/8 dots per mm Memory: 512 MB Flash; 256 MB SDRAM



Zebra GK420D/T Printer

Print methods: Direct thermal and Thermal transfer Printer, Memory: 8 MB Standard Resolution: 203 dpi/8 dots per mm

INDUSTRIAL LABEL PRINTERS **ઑ∙ZEBRA**



Zebra HC100 (Healthcare) **Patient ID Solution**

Printing: Direct thermal printing of Barcodes, text and graphics,USB and Serial



Zebra ZT600 Series **Industrial Printer**

Print Method : Thermal transfer and direct
Thermal printing, Memory: 1GB RAM Memory
Thermal printing, Memory: 256MB SDRAM



Zebra ZT400 Series **Industrial Printer**





Zebra ZT500 Series **Industrial Printer**

Print Method : Thermal transfer and direct Thermal printing, Memory: 512 MB RAM

ર્શાં⊾ZEBRA

CARD PRINTERS





Zebra ZXP Series 9 Printing: Full Color, Single-and dual sided Print Resolution:304 dpi (12.0 dots/mm) Memory:64 MB memory standard



Zebra ZC100 Card Printer

Printing: Dye-sublimation thermal transfer direct to card print method Full-color or monochrome printing



Zebra ZC300 Card Printer

Printing: Dye-sublimation thermal transfer direct to card print method Full-color or monochrome printing





Pegasus PCP Series

Printing: Direct to card Dye-sublimation/ Resin thermal transfer, Single or Dual sided Edge to Edge printing, 128MB memory



PEGASUS MOBILE PRINTERS & PRICE CHECKERS



Pegasus PM8001 Thermal **Mobile Printer**

Printing: Thermal Line, Speed:75 mm/sec Resolution: 203dpi(8 dot/mm)



Pegasus PM5821 Thermal **Mobile Printer**

Printing: Thermal Line, Speed: 70mm/Sec. Resolution: 384 dots/line (8dots/mm203dpi)



Pegasus Price Checker PC500

Display: 4.3" Diagonal Color Screen (None Touch Display),Memory: RAM-128MB



Zebra MK500 Micro Kiosk Affordable Self-Service

Size: 3.5 in. /8.9cm diagonal, Touch Screen Resolution: 320 x 240 pixels (QVGA)

PIONEERING LABELING SOLUTION



We are Manufacturer of all Kinds of Labels

Features:

- Food Labels
- Barcode Labels
- III Beverage Labels
- Cosmetic Labels
- Coffee & Tea Labels
- Water Bottle Labels III
- Pharmaceutical Labels





OPTIMIZE YOUR TIME DON'T MANAGE IT

Complete Time & Attendance Solution



Overview:

TimeMan is a web based. Reliable. Fast & Easy to use attendance Solution. This Solution is designed for core retail, restaurant and government operations. It is flexible to use and can easily be set up to support a broad variety of attendance concepts and workflow.





Zebra ZQ500 Series Mobile **Printer**

Printing: Direct thermal printing of barcodes, Text and graphics, Print Resolution: 203 dpi





Zebra IMZ Series Mobile Printer Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi Supported OS: iOS, Android, Windows



Zebra QLN Series Mobile

Computer Printing: Direct thermal printing of barcodes, text and graphics, Print Resolution: 203dpi





Printing Method: Direct Thermal Resolution: 203 dpi/8 dots mm Memory: 128MB RAM, 256MB Flash

EPSON RECEIPT PRINTERS





Epson TM-T20II Thermal Receipt Printer Print Methods - Thermal line printing Print speed: Max. 150 mm/sec



Epson TM88V Thermal Receipt Printer High Speed printing upto 7.9"/sec Same print speed for both text & graphics



Epson TM-U220A/B **Dot-Matrix Impact Printer** Easy drop-in paper loading two-color black and red printing Impactful logo printing





BIOMETRIC TERMINALS





Pegasus iFC-114 Fingerprint **Attendance Terminal**

Fingerprint Capacity:1000/1500(without SSR) Palm Capacity: 600, Fingerprint: 3,000 Display: 2.8" TFT, Record Capacity: 50,000 Display: 2.8-inch TFT Colour Display



Pegasus iFC-145 Palm Multi-Biometric



Pegasus FFC-112 Facial and **Finger TA & Access Control**

Face Capacity: 3000 (1:N) Fingerprint: 5000 Display: 4.3" TFT touch Screen



Pegasus iFC-113 Fingerprint **TA & Access Control**

Finger Capacity: 10,000, Max: 100,000 Display: 2.8" Color LCD



PEGASUS ENC-POS1 COUNTER-TOP STAND

Features:

- Single or Dual holders for screens, adjustable in angle
- Various accessorychoices for wide adaptability with more functions
- ▶ Wire Management stand for easy routing of cable, keep cable neat and out of sight
- Flexible installation-each holder can rotate 360° around the pole and could be adjusted in height.







www.PosGulf.com mkt@PosGulf.com



Pegasus PPT8525

Mobile Smart POS Terminal



- Breakthrough design featuring high performance and Super endurance under commercial scene
- 960*540 resolution, 5.5 inches screen, using IPS technology Visible angle has achieved 178° suitable broadness Capacitive multi touch screen
- Stable performance Running smoothly with 10 Apps concurrently


Applications:

Super Market

Transport

Payment Collection

Mobile POS






































PosGulf Kuwait

PosGulf Dubai

PosGulf India

Contact Us:

Europe, Middle East & Africa:



Pegasus International Computer Co. Ahmed Al Jaber street, Al Madina tower, 3rd floor Kuwait city P.O.Box: 12459 Shamiya Tel: +965 2247 9255, Mob: +965 995 343 88

Al-Dahani Complex, Shop No.6, Near Family Care, Al-Rai, Kuwait Email: mkt@PegasusTech.net

Pegasus Innovations General Trading Khalid Bin Waleed Road, Mohammed Noor Taleb Building, 6th Floor, Office 606, Bur Dubai P.O.Box: 90701, Dubai

Tel: +971 4 3266366, Mobile: +971 558838749, +971 508447624 Email: mkt@PosGulf.com

Asia and the Pacific:



Pegasus Turnkey Solution Pvt. Ltd. 263-A, New Polo Ground, Saheli Nagar, Udaipur-313004,

Rajasthan, India. Mobile: + 91 9413138675 Email: mkt@PegasusTech.net

